



Seema Nagpal
Vice President, Science & Policy
Diabetes Canada

October 10, 2019

Irfan Dhalla
Vice President, Evidence Development and Standards
Health Quality Ontario (HQP)
130 Bloor Street West
Toronto, ON M5S 1N5

Re: Diabetes Canada Feedback on Quality Standards for Prediabetes and Type 2 Diabetes

Dear Dr. Dhalla,

Thank you for the opportunity to provide feedback on the draft report from Health Quality Ontario (HQP): *Quality Standard: Prediabetes and Type 2 Diabetes*. Diabetes Canada supports the development of quality standards for prediabetes and type 2 diabetes.

Prediabetes and type 2 diabetes are major chronic diseases in Canada and their prevalence is increasing with no sign of decline. Diabetes care is complex and requires numerous factors to be addressed. Diabetes care should be patient-centered, and account for comorbidities and other patient factors that may require modification of goals and targets to meet the needs of people living with diabetes.

Quality standards, that are based on evidence-based clinical practice guidelines (CPGs), inform patients, health care providers, and organizations about high-quality care for health conditions or processes deemed a priority for quality improvement. HQP's proposed quality standards align with and are strongly based on Diabetes Canada's CPGs. The CPGs are intended to guide practice; inform general patterns of care; enhance diabetes prevention efforts in Canada; and reduce the burden of diabetes complications. Unfortunately, we know that much evidence exists to support better diabetes outcomes, but this evidence is not implemented in-full or equitably for all Canadians. While we have seen improvements in outcomes such as myocardial infarction and life expectancy, there continues to be a large care gap. Definition and implementation of diabetes quality standards can improve care.

1300 - 522 University Avenue, Toronto, ON, M5G 2R5
Call us: 1-800-BANTING (226-8464)
Diabetes.ca

**DIABETES
CANADA**

Charitable Number: 11883 0744 RR0001



We ask that you consider integrating the following feedback into the prediabetes and type 2 diabetes quality standards:

1. *Indigenous peoples living with prediabetes and type 2 diabetes:* We appreciate HQO for acknowledging the historical context of diabetes in Indigenous populations in Canada. The impacts of our historic and continued colonial policies, including residential schools, Indian hospitals, and the 60's scoop, have created lasting physical, mental, emotional, and social harms for these communities. However, the quality standards should better align with a strengths-based approach to which Indigenous Peoples ascribe. A strengths-based approach offers language and solutions for overcoming issues and draws on the strengths of communities to produce these solutions.ⁱ Strengths-based approaches move away from deficit discourse, which frame and represent Indigenous Peoples identity in a narrative of negativity, deficiency, and failure, and contributes to stereotyping and stigma of these communities.

To shift away from a traditional problem-based paradigm, institutions need to acknowledge that Canada's Indigenous populations continuously demonstrate great strength and resilience. Survivors of colonialism and residential schools have endured oppression, cultural erosion, forced relocation, forced assimilation, and institutionalized racism. When considering the number of challenges these communities have endured, Indigenous groups' current status as well-functioning cultural and political entities demonstrate remarkable strength and resilience. Second, the context in which the health care system and health outcomes exist is rooted in Canada's historic and continued colonial policies.

The quality standards should mention cultural safety and humility and provide guidance on the delivery of culturally responsive health care. Indigenous Peoples' interactions and engagement with diabetes care can expose individuals to culturally unsafe conditions. Feeling unsafe or stigmatized leads many to avoiding accessing care or disclosing symptoms during health care interactions. Health care relationships provide an opportunity to amend the ongoing colonial dynamics often present in Indigenous health care.ⁱⁱ We recommend exploring avenues to ensure that health care services are provided in ways that are culturally safe for Indigenous Peoples. We recommend that all health care professionals and organizations working with Indigenous groups receive cultural safety and humility training. Further, Indigenous learners in the health professions must be supported by creating safe and respectful clinical learning environments that are free of racism and discrimination.

It is important to hold in mind that strategies, guidelines, and interventions created for the general population may or may not be appropriate for Indigenous Peoples, or worse, could adversely affect them. Quality standards need to support the development of strategies,



guidelines, and interventions that are trauma-informed and Indigenous developed, led, and implemented. These should not only respond directly to the Truth and Reconciliation Commission (TRC) of Canada's 94 Calls to Action, but also acknowledge the impact of continued colonial policies and programs today.

Implementation of standards of care for Indigenous Peoples without system change will be incremental and insufficient to address the magnitude of the burden.

2. *Other high-risk groups:* Diabetes is a disease that brings with it many serious health challenges that disproportionately affects certain groups of Canadians including African, Arab, Asian, Hispanic, and South Asian. While the quality standards include high-risk groups as a risk factor for diabetes, they do not provide guidance on how the quality standards can be implemented differently among high-risk groups, based on their unique priorities and needs. Improvements in diabetes management and care means that everyone has access to culturally relevant care when and where they need it. Culturally appropriate tools need to be developed in collaboration with high-risk groups to support them in preventing diabetes and its complications. For instance, healthy behavioural interventions, such as healthy eating interventions need to be inclusive of all cultural dietary patterns to make it easier for people to adopt a healthy and culturally appropriate diet.
3. *Diabetes Canada supports the reduction of risk* through individually tailored prevention plans jointly described by a patient and their health care team. We recommend emphasizing accessing prevention programs based on the University of Pittsburg's "Diabetes Prevention Program", which has been demonstrated to achieve reductions in the incidence of diabetes.
4. *Quality statement 2, reducing the risk of type 2 diabetes:* Throughout the quality statement 2 section, reducing the risk of type 2 diabetes, the concept of prevention is often paired with the concept of slowing down the progression of diabetes, which is appropriate. To remain consistent throughout the section, we recommend that the phrase "type 2 diabetes prevention plan" be amended to "plan to prevent and/or slow the progression of type 2 diabetes."
5. *Patient-centered care:* Diabetes Canada supports quality statement 5, which promotes the development of self-management programs: "People with type 2 diabetes and their caregivers collaborate with their care providers to create a tailored self-management program with the goal of enhancing their skills and confidence so that they can be actively involved in their own care." However, it should be highlighted that the self-management programs will be patient-centered. Patient-centered care ensures that the care provided to people living with diabetes is respectful and responsive to individual patient preferences,



needs, and values, while ensuring that patient values guide all clinical decisions.

6. *Access to medications, devices, and supplies:* People living with diabetes should have appropriate and equitable access to the medications, devices, and supplies that best suits their clinical needs and personal context, including glucose lowering medications, medications to reduce risk of complications, devices to deliver the medication, a continuous glucose monitor (CGM), Flash Glucose Monitor, or SMBG strips. Access to the right medications, devices, supplies, and services with appropriate education and support, helps people living with diabetes achieve optimal health outcomes.
7. *Cardiovascular protection therapies:* Cardiovascular protection in people living with diabetes is critical to optimal care. We suggest a specific quality statement about the use of cardiovascular protection therapies. Diabetes significantly accelerates the development of cardiovascular disease compared to individuals without diabetes. Cardiovascular protection therapies have been shown to significantly reduce the morbidity and mortality associated with cardiovascular disease and are an important cornerstone of the management of diabetes.ⁱⁱⁱ These protective therapies (when appropriate) include: statin, angiotensin-converting enzyme inhibitor or aldosterone receptor blocker, anti-platelet therapies, glucagon-like-peptide-1 receptor agonists, and sodium-glucose-cotransporter-2 inhibitors.
8. *Type 1 and type 2 diabetes case differentiation:* The ability to distinguish between type 1 and type 2 diabetes is important for clinical quality improvements in care, since management strategies vary between the two types of diabetes. Unfortunately, the majority of administrative databases (e.g. Ontario Diabetes Database, Ontario Ministry of Health and Long-Term Care, IntelliHEALTH ONTARIO, Canadian Chronic Disease Surveillance System) do not differentiate between type 1 and type 2 diabetes. Therefore, for the quality indicators, "*Indicators That Can Be Measured Using Provincial Data,*" the methodology (including the algorithms) that will be used to compute the denominator, total number of people with type 2 diabetes, should be provided as it intends to differentiate between type 1 and type 2 diabetes.

Diabetes Canada is an organization that produces world-renowned, evidence-based clinical practice guidelines and represents health care providers who practice evidence-based medicine. Treatment standards should be based on currently available evidence and widely adopted by health care providers, organizations, and people living with diabetes. We look forward to people living with diabetes, health care providers, and organizations in Ontario having access to the quality standards for prediabetes and type 2 diabetes.

1300 - 522 University Avenue, Toronto, ON, M5G 2R5
Call us: 1-800-BANTING (226-8464)
Diabetes.ca

DIABETES
CANADA

Charitable Number: 11883 0744 RR0001



Sincerely,

Seema Nagpal, B.Sc.Pharm, M.Sc., Ph.D.
Vice President, Science & Policy
Diabetes Canada
613-688-5938
seema.nagpal@diabetes.ca

ⁱ Foley, W. & Schubert, L. Applying strengths-based approaches to nutrition research and interventions in Australian Indigenous communities. *J Crit Dietetics*. 2013; 1(3):15–25.

ⁱⁱ Jacklin KM, Henderson RI, Green ME, Walker LM et al. Healthcare experiences of Indigenous people living with type 2 diabetes in Canada. *CMAJ* 2017; 189(3): E106-E112.

ⁱⁱⁱ Diabetes Canada Clinical Practice Guidelines Expert Committee, Stone JA, Houlden RL, Lin P, Udell JA, Verma S. Cardiovascular Protection in People With Diabetes. *Can J Diabetes*. 2018;42 Suppl 1:S162–9.